


CHUM YUAN CO., LTD.

Since 1980

The Complete Solution for Production in Areas of Fasteners, Auto Parts, and Forged Parts.



Professional

Reliable

YH High Speed Heading Machine YH高速螺絲打頭機

機 種 Model	最大可製外徑 Blank Diameter Max.	最大可製長度 Blank Length Max.		每分鐘生產量 Blank Per Min.	主模外徑 Die Dia.	切模外徑 Cut-off Die Dia.	第一沖模 外徑 Punch Die. (1st)	第二沖模 外徑 Punch Die (2nd)		使用電 Motor 植數 Pole		外箱尺寸 Overall Dimension (長x寬x高) L xWxH	重量 Weight Approx.
YH10	3mm	30mm	56mm	180~200	30mm	15mm	24mm	20mm	2HP	4	1/4HP	1450x880x1050mm	1000kg
YH15	5mm	38mm	66mm	180-200	34.5mm	19mm	31mm	31mm	ЗНР	4	1/4HP	1790x1020x1090mm	1600kg
YH15	5mm	52mm	80mm	130~160	34.5mm	19mm	31mm	31mm	ЗНР	4	1/4HP	1790x1020x1090mm	1600kg
YH15	5mm	64mm	92mm	130~160	34.5mm	19mm	31mm	31mm	ЗНР	4	1/4HP	1790x1020x1090mm	1600kg
YH15	5mm	76mm	120mm	100-120	40mm	19mm	31mm	31mm	ЗНР	6	1/4HP	2000x1050x1100mm	1800kg
YH20	6mm	38mm	80mm	160	42.8mm	25mm	36mm	36mm	5HP	4	1/4HP	2300x1120x1160mm	2500kg
YH20	6mm	76mm	120mm	100~120	42.8mm	25mm	36mm	36mm	5HP	6	1/4HP	2450x1070x1160mm	2200kg
YH20	6mm	102mm	146mm	66~84~90	45mm	25mm	36mm	36mm	7-1/2H	IP 4	1/4HP	3058x1300x1270mm	3600kg
YH20	6mm	165mm	214mm	46~58~63	60mm	25mm	38mm	38mm	7-1/2⊢	IP 6	1/4HP	3650x1460x1450mm	4100kg
YH20	6mm	200mm	254mm	30~40~50	60mm	25mm	38mm	38mm	7-1/2H	IP 6	1/4HP	4000x1270x1450mm	4800kg
YH20	6mm	250mm	288mm	30~40~50	60mm	25mm	38mm	38mm	7-1/2H	IP 6	1/4HP	4800x1360x1450mm	5600kg
YH20	6mm	400mm	460mm	26	60mm	25mm	38mm	38mm	10HF	6	1/4HP	6104x1260x1754mm	7100kg

Round Cutter Style Heading Machine 圓剪式螺絲打頭機

機 種	最大可製外徑	最大可製長度	衝程	每分鐘生產量	主模外徑	切模外徑	第一沖模 外徑	第二沖模 外徑		E用電 Motor		外箱尺寸 Overall Dimension	重量
Model	Blank Diameter Max.	Blank Length Max.	Stroke	Blank Per Min.	Die Dia.	Cut-off Die Dia.	Punch Die. (1st)	Punch Die (2nd)		極數	幫浦	(長x寬x高)	Weight Approx.
1030-CK	3mm	30mm	56mm	180-200	30mm	15mm	24mm	20mm	2HP	4	1/8HP	1450x850x1050mm	1300kg
1552-CK	5mm	52mm	80mm	130~160	34.5mm	19mm	31mm	31mm	ЗНР	4	1/4HP	1970x1020x1090mm	1900kg
2064-CK	6mm	64mm	120mm	100~120	42.8mm	25mm	31mm	31mm	5HP	6	1/4HP	2450x1070x1160mm	2600kg
25102-CH	K 8mm	102mm	180mm	66~84~90	60mm	28mm	38mm	38mm	7-1/2HF	> 4	1/4HP	3490x1510x1350mm	5400kg
3076-CK	10mm	76mm	140mm	70~80	80mm	35mm	50mm	50mm	15HP	4	1/2HP	3880x1720x1450mm	7600kg

ZH High Speed Heading Machine ZH高速螺絲打頭機

機 種 Model	最大可製外徑 Blank Diameter Max.	最大可製長度 Blank Length Max.	and the second	每分鐘生產量 Blank Per Min.	主模外徑 Die Dia.	切模外徑 Cut-off Die Dia.	第一沖模 外徑 Punch Die. (1st)	第二沖樓 外徑 Punch Dia (2nd)	Second Second	あ あ 相電 Moto 極數 Pole		外箱尺寸 Overall Dimension (長x寬x高) L xWxH	重量 Weight Approx.
ZH25	8mm	50mm	110mm	80~110~130	60mm	28mm	38mm	38mm	7-1/2HF	> 4	1/4HP	2600x1440x1310mm	4500kg
ZH25	8mm	102mm	160mm	66-84-90	60mm	28mm	38mm	38mm	7-1/2HF	4	unnen en	3490x1610x1500mm	THIN PROCESSION OF THE PARTY
ZH25	8mm	152mm	220mm	50-65-70	60mm	28mm	38mm	38mm	10HP	4	enter and the second	4050x1550x1380mm	una anno anno anno a
ZH25	8mm	200mm	290mm	39	60mm	28mm	38mm	38mm	15HP	4	15HALLANHHA	4813x1530x1590mm	and the second second second
ZH25	8mm	305mm	370mm	30~48	60mm	28mm	38mm	38mm	10HP	6		4820x1670x1440mm	and and a second second
ZH30	10mm	76mm	140mm	70~80	80mm	40mm	50mm	50mm	15HP	4	HHHMMMM	3880x1720x1450mm	7500kg
ZH30	10mm	152mm	230mm	52~60	80mm	40mm	50mm	50mm	20HP	4		4525x1950x1745mm	8100kg
ZH30	10mm	200mm	280mm	42~48	80mm	40mm	54mm	50mm	20HP	6	NIN STREET	4930×1800×1550mm	7600kg
ZH30	10mm	320mm	420mm	26~30	80mm	40mm	50mm	50mm	20HP	entition (MERICAL HIGHL	6710x1995x1780mm	8300kg
ZH30	10mm	400mm	480mm	26	80mm	40mm	60mm	50mm	20HP	nterinterin	WITEROUNDAL	7100x2100x1800mm	
ZH40	13mm	100mm	166mm	60~70	93mm	46mm	60mm	60mm	30HP	www.www.	(DEDERATIONE)	4360x1820x1580mm	9900kg
ZH40	13mm	200mm	290mm	38~44	98mm	48mm	68mm	68mm	25HP	AND	ananan anan	5670x1900x1700mm	and an owner of the
ZH40	13mm	300mm	400mm	26~30	98mm	48mm	68mm	68mm	30HP	massina	anasanno a	7216x2040x1820mm	Commentation and a second
ZH40	13mm	350mm	440mm	26~30	98mm	48mm	68mm	68mm	30HP	NHIDEROOM IN	NAMES OF THE OWNER O	8505x2160x1910mm	in the second second
ZH40	13mm	450mm	540mm	25	98mm	48mm	68mm	68mm	30HP		oppression and the	8900x2260x2000mm	RENTERALIZZEN
ZH60	19mm	200mm	290mm	40	135mm	65mm	85mm	80mm	50HP	ter weeks weeks	nonmenter)	7300x2440x2120mm	countration and and
ZH60	19mm	420mm	500mm	31	148mm	65mm	82mm	82mm	50HP	auto monte	West and the state of the state	8740x2504x2250mm	ensistentitettitetti
ZH70	22mm	250mm :	360mm	40	140mm	75mm	95mm	95mm	75HP	minsymm	UNUTRATINGUM	8300x2500x2200mm	hermonenener -
ZH70	22mm	320mm -	440mm	30	152mm	80mm	95mm	95mm	75HP		entreparte (1993)	8700x2610x2300mm :	NAMANNA ANA SAN SAN SAN SAN SAN SAN SAN SAN
ZH70	22mm	420mm :	270mm	28	152mm	80mm	95mm	95mm	75HP	and shares		9854x2810x2402mm	UNIVERSITY OF A DESCRIPTION OF A DESCRIP
ZH80	26mm	330mm 4	444mm	30	168mm	98mm	108mm	95mm	75HP		annew anners	8900x2750x2350mm :	Statistic Contraction

YH-1030 密封型打頭機 Sealed Model Heading Machine

AL LANTENG

YH-1552 半密封型打頭機 Half-Sealed Model Heading Machine

uth Mass

20

LIANTENG

1

YH-1552

密封型打頭機 Sealed Model Heading Machine

0

1

LIANTENG

0

YH-2076

半密封型圓剪打頭機 Half-Sealed Model Round Cutter Style Heading Machine

10 7.1

By Com

1

LIANTENG

YH-20165 密封型打頭機 Sealed Model Heading Machine

LIANTENG

0

-

YH-20250 半密封型打頭機 Half-Sealed Model Heading Machine

1

0

1000

AL.




LIANTENG

and the second

ZH-25305

半密封型打頭機 Half-Sealed Model Heading Machine 00.00



半密封型打頭機 Half-Sealed Model Heading Machine