


CHUM YUAN CO., LTD.



Since 1980

**The Complete Solution for Production
in Areas of Fasteners, Auto Parts,
and Forged Parts.**

Efficient

Professional

Reliable



CHUM YUAN CO., LTD.

螺絲整列選別定向
Screw of whole row orientation




機型(Type): LY- 720

- 盤面直徑 (Disk diameter) : 720mm
- 送料出口高度(outlet high): 470mm
- 淨量(Net weight): 242kg

螺絲外徑(Screw outside diameter) : 5-16mm

螺絲最長長度(Screw Max length): 125mm

機型 Type	螺絲外徑 Screw outside diameter	螺絲最長 長度 Screw Max length	送料出口 高度 Outlet high	出口斜度 Angel	電壓 Voltage	頻率 Hz	淨重 Net Weight	裝箱尺寸 L*W*H
LYFW-200	1-3mm	15mm	180mm	可依客戶要求 May depend on the customer request	可依客戶要求 May depend on the customer request	50/60	25kg	430*430*400mm
LYFW-250	1-4mm	30mm	230mm				34kg	480*480*450mm
LY-300	2-5mm	30mm	315mm				37kg	530*530*500mm
LY-400	2-6mm	40mm	325mm				62kg	630*630*600mm
LY-520	2-8mm	75mm	415mm				114kg	750*750*700mm
LY-620	3-12mm	100mm	450mm				140kg	850*850*820mm
LY-720	5-16mm	125mm	470mm				242kg	950*950*920mm
LY-850	5-20mm	150mm	490mm				282kg	1080*1080*1050mm
LY-1000	5-25mm	200mm	510mm				460kg	1230*1230*1200mm
LY-1200	5-28mm	300mm	610mm				630kg	1430*1430*1400mm
LY-1500	5-30mm	400mm	640mm				1030kg	1730*1730*1700mm



注：針對頭型大、尾部短小而設計
Note: In view of forehead big , rear part short supposes discusses

機型(Type): LS- 400

- 盤面直徑 (Disk diameter) : 400mm
 - 螺絲最長長度(Screw max length) : 12mm
 - 螺絲最大外徑(Screw max diameter): 10mm
- 螺絲尾部直徑(Screw diameter): 2-6mm
淨重(Net weight): 52kg

機型 Type	螺絲最大 外徑 (D1) Screw max diameter	螺絲 直徑 (D2) Screw diameter	螺絲最長 長度 (D3) Screw max length	淨重 Net Weight	電壓 Voltage	頻率 Hz	裝箱尺寸 L*W*H
LSFW-200	4.0mm	1-3mm	6mm	10kg	可依客戶要求 May depend on the customer request	50/60	1130*430*400mm
LSFW-250	5.0mm	1-4mm	6mm	15kg			480*480*450mm
LS-300	6.0mm	2-5mm	8mm	30kg			530*530*500mm
LS-400	10mm	2-6mm	12mm	52kg			630*630*600mm
LS-520	16mm	2-8mm	18mm	109kg			730*730*700mm
LS-620	25mm	3-12mm	27mm	130kg			850*850*820mm
LS-720	30mm	5-16mm	32mm	228kg			950*950*920mm



CHEN
TAI

零件整列·定向送料机系列

Parts Aligning & Feeding Machine Series



以最专业的技术为您服务
Serve You with Professional Technique

SGS-TW Reference No
EZ/2006/50007



振动送料机控制器
Vibrating Feeder Controller



补料桶控制器
Feeding Controller



产品项目

- 直径120mm ϕ ~1500 ϕ 送料机
- 平送振动送料机
- 全自动储料箱
- 本体、送料盘
- 光电、近接开关
- 控制器等标准品供应

Products

- Diameter 120mm ϕ ~1500 ϕ Conveyor
- Horizontal Vibration Type Conveyor
- Fully Automatic Loading Machine
- Circuit Sensor
- We Offer Conveyor Systems, Control Instruments and Other Similar Products

螺丝整列选别定向 Screw Aligning & Sorting



华司垫片整列选别定向 Washer Spacer Aligning & Sorting



螺母正反面选别定向 Two-Sided Nut Sorting





CHEN TAI

振动送料机系列


Series of vibrant feeders machine fittings product

GLOBAL TECHNOLOGY

手工具套筒内四角洞、六角洞选别定向
Hand-making sleeve within tetragon hole or hexagon hole of obverse or reverse orientation



螺母正反向选别定向
Nut of obverse or reverse orientation




零件选别送料专家：振好机械公司

振动送料机系列

Series of vibrant feeders machine fittings product



螺丝整列选别定向
Screw of whole row orientation



华司垫片整列选别定向
Nail Plug of whole row orientation



零件选别送料专家：振好机械公司



N TAI

配套产品


Fittings product

数十年经验，具国际化水准的优良产品，专业性、创新性的厂商。
Over several ten years experience, we are the manufacturer who provide international standard products, professional and creative service.

补料桶控制器
Replenish pail controller



振动送料机电眼控制器
Vibrant feeding machine of electric-eyed controller



整组振动送料机系列


Whole series of vibrant feeders machine



自动补料桶 Auto-replenish pail

为节省人工辅料特别设计此套自动辅料斗，其出料多或少可调整振动开关大小，为你解决任何零件需要大量放料或装袋，装相等其他用途，尺寸依客户而定做。

In order to save labor, we specially design this automatic material storage bucket, of which the vibrator switch can be adjusted to control the feeding volume, bag packing or case packing, Models can be custom-made according to customers' specifications.



自动储料斗
Auto-storage dou

满料时用ON.OFF之光电开关
When full of storage
turn on photoelectricity switch

给料控制开关
Feeding controller

选别轨道
Selective track

圆盘式振动送料机
Plate Vibrant Feeding Machine

直线送料机
Straight line feeding machine

固定架
Fixer

